



14% RCS recycled polyester  
Certified by Ecocert Greenlife 267872

Ref. 1CLD500

### Cut - Precision Work



### Oily Environment



### The +

**COVERPERF DURABILITY:** ABRASION (exceptional wear resistance, >20,000 cycles) and WASHABILITY (performance guaranteed up to 5 cycles at 30°) for maximum durability  
**COVERPERF SKINCARE:** Hypoallergenic to prevent irritation  
 Gauge 21 knit without fiberglass: Second skin feel for exceptional dexterity  
 Double layer sandy finish nitrile palm coating: Excellent grip in dry and oily environments, waterproof  
 Long thumb-index reinforcement: Improved grip and prevents tearing for maximum durability  
 RCS: Integration of recycled materials (14%) to reduce environmental impact  
 HOT 1: Contact heat protection 100°C / 15 sec.  
 Touchscreen, Sanitized

### DESCRIPTION

The CLAW CUT range is a new generation of cut-resistant gloves designed to protect you in the most demanding tasks with a high level of cut resistance (from CUT D to A9) while providing excellent comfort and exceptional dexterity in all work environments (dry, wet, and oily).

The CLAW CUT D 500 model has been designed for fine handling work in dry and oily environments.

The high gauge of 21 combined with an exceptionally soft and strong fiber (made from HPPE, recycled polyester, and spandex) provides a second-skin feel while offering excellent cut protection (CUT D).

The double-layer nitrile palm coating with a sandy finish is waterproof, and the long reinforcement between the thumb and index finger provides excellent grip and a secure hold in the most demanding dry and oily tasks, as well as a high level of abrasion protection (COVERPERF label: >20,000 cycles).

The CLAW CUT D 500 is made with recycled polyester fiber and is RCS certified (14% of the total product weight). It contains no fiberglass.

This glove is touchscreen compatible, allowing you to keep it on while using equipment with touch screens.

### PURCHASE PACKAGING

Ref.	Size	Inner	Carton
1CLD500006	6	10	100
1CLD500007	7	10	100
1CLD500008	8	10	100
1CLD500009	9	10	100
1CLD500010	10	10	100
1CLD500011	11	10	100
1CLD500012	12	10	100

### SALES PACKAGING

**TECHNICAL FEATURES**



Gauge 21

Color	Black
Glove type	Seamless knitting
Coating level	Palm
Material of coating	Nitrile
Coating finition	Smooth
Coating level	Palm
Material of coating	Nitrile
Coating finition 2	Sandy
Reinforced part place	Between thumb and index finger
Reinforced part material	Nitrile
Type Of Cuff	Elastic wrist

**STANDARD(S)**

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate 0598/PPE/25/3574 Issue 1

Delivered by SGS Fimko Oy (0598) Takomotie 8 00380 HELSINKI Finland



EN ISO 21420:2020

Protective gloves – General requirements and test methods

EN388:2016  
+ A1:2018

Protection from mechanical risks



4.X.4.2.D.

ANSI

Cut resistance ANSI/SEA 105-2016 / ASTM F2992M-15



EN407:2020

Protective gloves and other hand protective equipments against thermal risks (heat and/or fire)



X.1.X.X.X

EN16350:2014

Protective gloves - Electrostatic properties

COVERPERF -  
Durability/Abrasion resistance



COVERPERF -  
Durability/Washable



COVERPERF - Skincare  
MAJ 03/04/2026