


Ref. 8MFUCO

Multirisks

Coverall



THE +

Oil industry  
Electrical industry  
Welding  
Automotive industry  
Public services

PLUS: flexibility thanks to its satin weave + reflective bands

### PURCHASE PACKAGING

Ref.	Size	Carton
8MFUCOS	S	10
8MFUCOM	M	10
8MFUCOL	L	10
8MFUCOXL	XL	10
8MFUCOXXL	2XL	10
8MFUCOXXXL	3XL	10

*Some sizes may only be available in certain countries*

### SALES PACKAGING



Individual polybag

See also

### VARIANTS

8MFUCN



### SECTORS

- Mining
- Extracting Oil and Gas
- Heavy & process industries
- Mechanicals constructions
- Energy (production and distribution)

### WASHING CONDITIONS

Number of washings 50



## FABRICS

Color	Orange
Material	FR SATIN: 98% Cotton / 2% Antistatic - 350g/m2
Material 2	TRIMS: Plastic
Bands	FR RETRO-REFLECTIVE BANDS: sewn microbead bands: 5cm

## TECHNICAL FEATURES

Collar	High collar / Marking ruff	Reinforcement	Twill kneepad pockets, bottom loading /
Closing	Hidden snaps under central tab	yokes	EN 14404: Type 2 - Level 0
Belt	Elasticated waistband on the sides	Finishing details	2 back gussets / Triple topstitching /
Cuffs	Cuff adjustable by snaps		Standards pictograms on sleeve
Pockets	2 chest pockets with closed flap / 1 inside pocket / 2 italian pockets / 2 back pockets with closed flap / 1 side pocket with closed flap / 1 tool pocket	Visibility	Sewn bands: 2 shoulders + 1 armband/sleeve + 1 armband/leg
Loop	2 dosimeter loops	Adjustments	Adjustable leg length: +5cm

## STANDARD(S)

This equipment conforms to the personal protective equipment model covered by the EC type-examination certificate 0598/PPE/25/3059

Delivered by SGS Fimko Oy (0598) Takomotie 8 00380 HELSINKI Finland

EPI CAT. III



EN14404:2004 + A1:2010



Type 2, level 0

Knee protectors for work in the kneeling position

EN ISO 11611:2015



CLASS 1 - A1+A2

Protective clothing for use in welding and allied processes

EN ISO 11612:2015



A1+A2-B1-C1-E3-F1

Clothing to protect against heat and flame

EN17353:2020



Type B2

Protective clothing - Enhanced visibility equipment for medium risk situations - Test methods and requirements

EN1149-5:2018



Antistatic protective clothing

IEC 61482-2:2018



APC 1

ELIM : 16 cal/cm<sup>2</sup>

ATPV : 19 cal/cm<sup>2</sup>

Protective clothing against the thermal hazards of an electric arc